

**BIDDER'S QUERIES FOR PRE BID MEETING (F12)**


**SUB:UREA(NEEM OIL COATED) HANDLING &BAGGING PACKAGE AT TALCHER FERTILIZERS LIMITED**

**NIT No.: PNMM/PC-183/E-4010/NCB dated 06.08.2021**

SI No	Reference of Tender Document				Bidder's Query	Owner's Reply
	Sec No	Page No	Clause No	Subject		
1	Section-II	14 of 1571	Clause no:A, 1.2 (ii)	In case, bidder does not have experience of similar work as mentioned at 1.2 above,bidder has to submit MOU/MOU' s (maximum 3 Nos.) with Scrapper Reclaimersuppliers/vendors.....	<p>1. The 'Salt Scrapper' as envisages in this package is a very special type of equipment and very limited manufacturer are there in India and in abroad. So please confirm that any equipment manufacturer is allowed to do MOU with numbers EPC bidder.</p> <p>2. Please share us the format of MOU.</p>	<p>1. As per NIT. There is no restriction to equipment manufacturer of Salt Scrapper regarding MOU with LSTK contractor.</p> <p>2. Bidder to submit the MOU as per NIT requirement.</p>

2				Various forms and formats to be submitted along with the bid	As per the instruction given in the NIT we have to furnish lots of duly filled in forms and formats. Kindly furnish us editable forms/formats (in MS word form) for necessary working at our end	
3	PC183/ E-4010/SEC VI/ 3.1.1	Sheet 5 of 40	Clause no-3, SI No-12	Bag testing Machine	Please furnish details specification for Bag testing Machine. And also indicate the quantity.	Under review.
4	PC183/ E-4010/SEC VI/ 3.1.1	Sheet 7 of 40	Clause no-4, SI No-18	Check weigh m/cs	Kindly indicate the quantity of check weigh machine	As per NIT
5	PC183/ E-4010/SEC VI/ 3.1.1	Page no 9 of 40	Clause no-8.0	Wagon loaders shall have the facility to load the bags into standard wagons as well as to stack the filled bags on the platform	Stacking of bags at platform will be done by the wagon loader (when the trains are not available). Shall we have to consider Bag stacking machine for storing of urea bags on the either side of the platform.	As per NIT, wagon loader to be considered for bag stacking purpose also, no separate bag stacking machine is required.
6	PC183/ E-4010/SEC VI/ 3.1.1	Page No-27 of 40	Clause No-10.3.2	Vibrating Screen: Preferably Vibrating screen shall be double deck linear motion type.	Kindly specify the following details for selection of screen <ul style="list-style-type: none"> <li>• Sieve analysis of urea</li> <li>• Separation size at Top deck</li> <li>• Separation size</li> </ul>	As per NIT  Particle size distribution and approx. Lump size has been mentioned in the NIT. Bidder to screen-out product from silo reclamation material.

					at bottom deck	
7	PC183/ E-4010/SEC VI/ 3.1.1	Page No-28 of 40	Clause No-10.3.3	De-lumper/Lump Breaker	Kindly specify Maximum input size of Urea at lump breaker inlet and product size of urea at lump breaker outlet.	As per NIT
8	PC183/ E-4010/SEC VI/ 3.1.1	Page No-16 of 40	Clause No-10.1.2	The handling capacities of all proposed conveyors have been mentioned in the conveyorSpecification/data sheets. Conveyor capacity [Rated 161 TPH & Design 193 TPH upto silo storage (Conveyor ET-1 & ET-2), Rated 180 TPH & Design 220 TPH from silo reclaim toTransfer Tower-2 (TT-2) (Conveyor ET-3 & ET-4), Rated 280 TPH & Design 340 TPH from TT-2 to bagging plant upto bunker distribution (Conveyor ET-5 & ET-6 series)]	Regarding Rated Capacity of Conveyor ET-5 and 6 - Since the preceding conveyors (ET-3 and ET-4) are running at a lesser capacity of 220TPH then how the conveyor ET-5 and 6 will run at capacity of 280 TPH. Kindly clarify.	Conveyor ET-5 shall receive material of both the conveyors, BC-2(other's scope) & ET-4, accordingly design capacity has been mentioned as 280 TPH. Similarly, capacity of conveyor ET-6 shall be 280 TPH.
	PC183/ E-4010/SEC VI/ 3.1.1	38 of 40	Clause No-10.9, SI No-(iii)	Piping of all required services	<ol style="list-style-type: none"> <li>1. We presume that Water and Air as applicable for various purposes will be made available by client at required pressure.</li> <li>2. Shall we have to consider any SS piping inside the TT/Bagging station? Please clarify</li> </ol>	<p>As per NIT</p> <ol style="list-style-type: none"> <li>1. Water and Air as applicable for plant operation will be made available by client at required pressure at mentioned battery limit. Further distribution from battery limit to respective points is under contractor's scope.</li> <li>2. All piping shall be considered as per Piping specification mentioned in NIT.</li> </ol>

9					<p>As per profile drawing from reclaim conveyor ET-3 material is stored in a hopper. This hopper is provided with load cell arrangement.</p> <p>But the same has not mentioned in the specification.</p> <p>Kindly confirm shall we have to consider the following:-</p> <ul style="list-style-type: none"> <li>- Storage hopper as shown in drawing.</li> <li>- Capacity of storage hopper.</li> <li>- Load cell based weighing system to be considered or not</li> <li>- Shall we have to consider any vibrating feeder arrangement before screen</li> </ul>	Under review.
---	--	--	--	--	--	---------------